HOUSE & LAND PACKAGE

LOT 2 WILLOW LEAF ST, BEVERIDGE OORANYA ESTATE








FIXED PRICE CONTRACT

\$541,850[^]

Land Size: 221.00 sqm House Size: 116.88 sqm

TURN KEY INCLUSIONS

- 20mm Composite Stone Benchtop with Square Edge to Kitchen
- Dishwasher Stainless Steel
- Heating throughout
- Split System Air Conditioner (Cooling only) to Living
- Flooring throughout
- Downlights
- Letterbox
- · Window Coverings throughout
- Premium Facade
- Front and Rear Landscaping
- Fencing
- Flyscreen
- Alarm System



Land Contract: \$260,000

Build Contract: \$281,850

ESTIMATED TITLE DATE

Q3 2025

3|3

CLASSIC

(Included)



EXTERNAL COLOURS - HAVANA





Brickwork







Garage Door Surfmist



Roof Tiles Salt Spray








Front Entry Door Titanium White





EXTERNAL COLOURS - OLYMPIA





1. Brickwork Bark



2. Render 1 Wallaby



3. Render 2 Dune



4.
Garage Door
Monument



5.
Roof Tiles
Sambuca



6. Gutters Night Sky



7. Fascias Night Sky



8.
Front Entry Door
Wallaby





EXTERNAL COLOURS - SAHARA











Garage Door Monument



Roof Tiles Barramundi



6. **Gutters** Monument



7. Fascias Monument




Front Entry Door Monument





EXTERNAL COLOURS - VERONA













4.
Garage Door
Monument



5. Roof Tiles Barramundi



6.
Gutters
Monument



7. Fascias Monument



8. Front Entry DoorMonument



INTERNAL COLOURS - CASHMERE




1. **Splashback**United Ice Grey

2. Overhead cupboards
Idyllic

3. Base cupboards Seal Grey

4. Kitchen BenchtopPure Marble





5. Laminate flooring Maize

6. Carpet Rainstorm

7. Floor tiles Belga Grey

8. Cupboards Idyllic

9. Vanity benchtopPure Marble



Disclaimer:

Images provided are for illustration purpose only. The builder reserves the right to substitute the make, model or type of any of the above products to maintain the quality and product development of its homes. Changes may be made subject to Res-Code requirements. Window and sliding door sizes may vary subject to energy rating requirements.

INTERNAL COLOURS - CLOUDBURST




Splashback
 United White

2. Overhead cupboards
Autumn Oak

3. Base cupboardsCrystal White

4. Kitchen BenchtopPure Marble



9 8 8 5. Laminate flooring
Rustic Oatmeal

6. Carpet Vintage Pewter

7. Floor tilesBelga White

8. Cupboards Autumn Oak

9. Vanity benchtopPure Marble



Disclaimer: Images provided are for illustration purpose only. The builder reserves the right to substitute the make, model or type of any of the above products to maintain the quality and product development of its homes. Changes may be made subject to Res-Code requirements. Window and sliding door sizes may vary subject to energy rating requirements.

INTERNAL COLOURS - TEMPO



1. Splashback United Ice Grey

2. Overhead cupboards Silver Riftwood

3. Base cupboards Crystal White

4. Kitchen Benchtop Pure Marble





5. Laminate flooring Rye

6. Carpet City Shadow

7. Floor tiles Warehouse Dark

> 8. Cupboards Seal Grey

9. Vanity benchtop

Pure Marble



Images provided are for illustration purpose only. The builder reserves the right to substitute the make, model or type of any of the above products to maintain the quality and product development of its homes. Changes may be made subject to Res-Code requirements. Window and sliding door sizes may vary subject to energy rating requirements.

Eective date: 01.05.2024

MURGOV PROPERTIES SPECIFICATIONS

Kitchen Appliances

Stainless steel 600mm fan forced oven.

Stainless steel 600mm gas cook top with wok burner.

Stainless steel 600mm wide canopy range hood.

Dishwasher

Stainless steel dishwasher.

Double bowl stainless steel sink.

Flickmaster tap, chrome finish.

Cabinetry

Cupboards

Fully lined melamine modular cabinets including overhead cupboards and cupboards above refrigerator space as per working drawings. Laminate finish doors from builder's range Category 1.

Doors/Drawers

Standard laminate from builder's predetermined colour boards.

Microwave Provision

Standard laminate including single power point.

Kitchen Bench Top

Laminate square edge from builder's predetermined colour boards.

Vanity Bench Tops

850mm high laminate square edge benchtop from builder's predetermined colour boards.

Handles

Selected from builder's predetermined colour boards.

Bathroom & Ensuite

Basins

Vitreous china vanity basin (white).

1150mm high polished edge mirror to full width of vanity.

Vega 1500mm freestanding bath (white).

Shower Bases

Tiled shower bases with waterproof system throughout.

Shower Screens

Semi framed shower screens with powder coated aluminium frame (polished silver finish) and clear glazed pivot door.

Taps

Chrome mixer tapware.

Shower Outlet

Handheld shower, rail and slider in chrome finish to ensuite and bathroom

Toilet Suite

Vitreous china, close coupled toilet suite in white with soft close top.

Accessories

600mm single towel rails and toilet roll holders in chrome finish.

Exhaust Fans

250mm exhaust fans including self sealing air flow draft stoppers to bathroom.

Ceramic Tiling

Wall Tiles

Wall tiles to kitchen, bathroom, ensuite and laundry where shown on plans. Tile selection as per builder's predetermined colour boards.

Floor Tiles

Floor tiles to ensuite, bathroom, laundry and WC. selection as per builder's predetermined colour boards.

Floor Coverings

Laminate Flooring

Builders range laminated flooring as shown on plan. Selection as per builder's predetermined colour boards.

Carpet

Carpet to area's not tiled or with laminate flooring. Selections as per builders predetermined colour boards and as shown on plan.

Paint - 2 Coat Application

Timberwork

Gloss enamel to internal doors, jambs & mouldings.

Ceilings

Flat acrylic to ceilings.

Internal Walls

Washable low sheen acrylic to internal walls.

Entry Door

Gloss enamel to front entry door.

Colours selected as per builder's predetermined colour boards.

Staircase (double storey homes)

Pine closed stringers, with MDF treads and risers with carpet cover. Pine No.8 wall rail. (dwarf walls by _____). No balustrade.

External Features

Clay brick selection from builders' pre-determined colour boards to single storey homes and ground floor of double storey homes.

Mortar Joints

Face Brickwork - Natural colour rolled joints.

Light Weight Cladding

Rendered lightweight foam to first floor of double storey homes. Finish and colour to be selected from builder's pre-determined colour boards (design specific - refer to working drawings for extent of cover).

Hebel Product (Parkington 195 & Salisbury 214)

Rendered Hebel panels. Finish and colour to be selected from builder's pre-determined colour boards (design specific - refer to working drawings for extent of cover).

Front Elevations

As per Working Drawings. Acrylic render to selected areas as per plan (Product Specific).

Windows

Single Storey Homes

Double glazed awning windows as required to meet 7 star energy rating.

Double Storey Homes

Double glazed awning windows and doors throughout as required to meet 7 star energy rating.

Entry Frame

Aluminium, powder coat finish (Product Specific). Clear glazed sidelight(s) to double storey homes (design specific).

Front Entry Door

Feature front door as per facade with clear glass.

Door Furniture

Front Door: Entrance lockset in polished stainless steel with deadbolt. (Product Specific).

Ext. Hinged Door

Entrance lockset in polished stainless steel to external door.

Infill Over Windows

Brick infills over all windows and doors (excluding garage front elevation) to single storey homes and ground floor only of double storey homes.

Door Seal

Door seal and weather seal to all external hinged doors.

Balcony Balustrade

Facade Specific

Balcony Tiling

Builders range external ceramic tile.

Insulation

Ceiling

Ceiling insulation as required to meet 7 star energy rating (excludes garage ceiling).

External Brickwork

Glasswool wall batts including sisalation to external brick veneer walls (excluding garage) and wall between garage and house as required to meet 7 star energy rating.

Garage

General

Garage with tiled roof including Colorbond® sectional overhead door with remote control, painted cement sheet infill over garage door, plaster ceiling and concrete floor.

External Walls

Brick veneer (on boundary wall or product specific if required).

Pedestrian Door

Weatherproof flush panel door, low sheen acrylic paint finish. (Product Specific).

Door Frame

Aluminium powder coat finish.

Door Furniture

Entrance lockset.

Internal Features

Doors

2040mm high flush panel hinged or sliding doors (house design specific).

Door Furniture

Lever door furniture in polished chrome finish to all rooms.

Mouldings

 67×18 mm Beveled MDF skirting & 67×18 mm MDF beveled architraves.

Door Stops

Plastic white door stops to hinged doors (where applicable).

Door Seals

Door seal to nominated internal doors.

Note: This will be in accordance with energy rating assessor's report.

Hot Water System (Estate Specific)

Hot Water

Air-water heat pump system with 170 litre storage tank, and continuous mains pressure 20 litre gas booster.

OR

Gas continuous flow water heater system (up to 27 sq.'s $\,$ - 20 L/M Unit & 28 sq.'s and above 26 L/M unit). Note: Continuous flow water heater will be used in estates where recycled water is available.

Laundry

Trough

Stainless steel tub and melamine cupboard with bypass.

Taj

Flickmaster tap, chrome finish.

Washing Machine

Chrome washing machine stops/grubs.

Plaster

Plasterwork

10mm plasterboard to ceiling and wall, water resistant plaster to ensuite, bathroom, above laundry trough, 75mm cove cornice throughout.

Plumbing

Taps

2 No. external taps.

(1 to front water meter and 1 next to laundry exit)

Roofing

Pitch

Roof pitch to be 22.5 degrees.

Material

Dark colour on roof tiles from builder's predetermined colour boards to meet 7 star energy rating.

Fascia & Guttering

Colorbond® fascia, guttering and downpipes.

Heating

Heating

Gas ducted heating to bedrooms and living areas, (excludes 'wet areas'). Total number of points and unit size product specific.

Framing

Framing

Engineered pine wall frame and roof trusses.

Storage

Shelving

Walk In Robe: One white melamine shelf with hanging rail.

One white melamine shelf with hanging rail.

Pantry/Linen

Four white melamine shelves.

Robes: 2040mm high readicote flush panel hinged or sliding doors as per plan.

Pantry/Linen

2040mm high readicote flush panel, hinged door(s).

Handles in polished chrome finish.

Ceilings

Height

2440mm (nominal) height throughout.

Electrical

Solar PV

Solar PV (Photovoltaic) System 2.5kW.

Internal Light Points

100mm diameter 240V downlights fittings (colour - white) throughout as per standard electrical layout (supply/install light globes to all light fittings in the home).

External Lights

100mm diameter fixed 240V white recessed downlight to front entry and alfresco where applicable. Weather proof Para flood light to rear as per drawings.

Power Points

Double power points throughout excluding dishwasher, microwave and refrigerator provision (refer working electrical plan).

Two points including 5 metres of coaxial cable to roof space (one to main bedroom and one to living area).

Telephone Point

Two pre-wired telephone points to kitchen & Master Bedroom with wall plate as per working drawings including connection availability to the National Broadband Network (NBN) - basic pack only.

Switch Plates

White wall mounted switches.

Smoke Detector(s)

Hardwired with battery backup.

Safety Switches

RCD safety switch and circuit breakers to meter box.

Site Conditions / Foundations

Foundation Class

Up to Class H2 concrete slab with fall of land up to 500mm across the length and/or width of the allotment. Excludes concrete bored piers due to existing uncontrolled fill being placed on the allotment. If fill is shown on allotment, a lot specific level 1 compaction report is required or additional charges may apply.

Temporary Fencing

Supply and hire of temporary fencing to site where required to council requirements.

Supply and hire of environmental silt fence to front of property as required by council.

Rock Allowance

Allowance of rock excavation and removal (If explosives or core drilling required, extra charge will apply).

Termite Treatment

Termite spray system where required by relevant authority.

Angle of Repose

Home to be sited to a minimum of three metres off easement. (If sited closer than additional charges may apply).

Structural

Warranty

10 year structural warranty and 3 month maintenance warranty

Service Connections

Connections are based on an allotment of up to 650 square metres with a maximum six metre setback to house (connection to stormwater and sewer points are provide within the building lot, single phase underground power up to 12 metres from pit and same side dry water tapping). Does not included electricity and telephone consumer account opening fees.


NBN basic, cable, telephone points / 1 of data point, NBN conduit and connection point. BAL 12.5 - will be included FREE if required. Recycled Water - will be included FREE if required.

7 Star Energy

Minimum 7 star energy rating for house plans and all facades on any orientation. Based on Ballarat climate zone and like for like dwellings either side.

The builder reserves the right to substitute the make, model, or type of any of the above products to maintain the quality and product development of its homes. Changes may be made subject to Res Code requirements. A electricity transfer fee applies. V1 29.04.24

LANDSCAPE OPTION A



- 1. 1-2m Screening Trees (Pittosprum or Delonia)
- 2. Turf
- 3. Lilydale/Tuscan Toppings
- 4. Colour-on Concrete
- 5. 1.2m Australian Native Trees
- 6. 150/250mm Mixed Variety Australian Native plants

All images are for illustrative purposes only. Plants may vary from site to site, depending on size and lot conditions. Plants may vary subject to availability. Landscaping plan may change subject to lot size.

INCLUSIONS RANGE

Bathroom



Phoenix Sonata hand shower & rail in chrome



Executive shower screen tiled base



Towel rail & toilet roll holder



White acrylic bath



Shower Mixer in chrome



Ceramic basin - white



Toilet suite with soft close seat in white



Basin Mixer in chrome

Laundry & Hot Water Service



Laminated white cabinet with 45 litre stainless steel trough



Air-water heat pump hot water system with 170 litre storage tank, and continuous mains pressure gas booster (estate specific)



Gas continuous flow water heater system (estate specific. Will be used in estates where recycled water is available.)

INCLUSIONS RANGE

Kitchen & Flooring



Double bowl sink



600mm dishwasher 12 settings, 7 programs



600mm electric fan forced inbuilt oven with manual timer



600mm canopy range hood



Benchtop (Laminate)



600mm cooktop 4 burner w/wok cast iron trivets



Sink Mixer - Chrome



Bolero timber look laminate flooring

Garage & Roofing



Remote controlled Colorbond® Sectional overhead garage door with 2 remotes



Monier Atura roof tile

The builder reserves the right to substitute the make, model or type of any of the above products to maintain the quality and product development of its homes. Changes maybe made subject to Res Code requirements. Imagery for illustrative purposes only.



Stage 4c

OStage 9a

Stage 9b

Stage 12b

Stage 12a

• Stage 1

Stage 2

Stage 8

Land Sales Centre 18A Whiteside Street, Beveridge VIC 3753

bevan

1300 035 791

sales@ooranyaestate.com.au

Stage 7

Stage 3



O Stage 27

Stage 26

Stage 21

WHITESIDE STREET

Stage 22

O Stage 6

Stage 5

Stage 20

O Stage 11

OStage 4b

O Stage 4a

LITHGOW STREET

Stage 28

Stage 23

Stage 25

Stage 16b

Stage 16a

• Stage 13

OStage 10

Stage 15a

Stage 15b

Stage 24

PS 922981S **PLAN OF SUBDIVISION EDITION 1** Council Name: Mitchell Shire Council **Location of Land** SPEAR Reference Number: S241777H Parish: MERRIANG Township: BEVERIDGE Section: -----Crown Allotment: 30(PT) & 31(PT) Crown Portion: -----**Title Reference:** V. 12510 F. 633, V. 12510 F. 634, V. 12510 F. 635 V. 12510 F. 636, V. 12510 F. 637, V. 12510 F. 638 Last Plan Reference: LOTS 932 TO 937 ON PS831553W **Postal Address:** 10 - 20 WILLOWLEAF STREET (at time of subdivision) BEVERIDGE 3753 MGA Co-ordinates: Ε Zone: 55 319 530 (of approx. centre of land Ν GDA 2020 5 850 240 in plan) Vesting of Roads and/or Reserves **Notations** Council/Body/Person **Identifier Creation of Restriction** Upon registration of this plan the following restriction is to be created: NIL The registered proprietors of the burdened land covenant with the registered proprietors of the benefited land as set out in the restriction with the intent that the burden of the restriction runs with and binds the burdened land and the benefit of the restriction is annexed to and runs with the benefited land **Notations** Burdened land: All the lots in this plan Benefited land: All the lots in this plan **Depth Limitation:** DOES NOT APPLY Restriction: No building can be constructed within the lots that do not accord **Survey:** This plan is based on survey with the Small Lot Housing Code **Staging:** This is not a staged plan of subdivision Expiry date: 1st January 2035 Planning Permit No. PLP0198.24.01 **Easement Information** E - Encumbering Easement or Condition in Crown Grant in the Nature of an Easement or other Encumbrance A - Appurtenant Easement Legend: Width Easement **Purpose** Origin Land Benefited/In Favour Of (Metres) Reference NIL



ABN 11 103 336 358 WWW.TOMKINSON.COM

SURVEYOR'S FILE REF: 501871 PLOTTED 14-05-2025 P.J.L.

VERSION 04

ORIGINAL SHEET SIZE: A3

Sheet 1 of 2 Sheets

19/05/2025, SPEAR Ref: S241777H

Digitally signed by: Christopher Scott Franks, Licensed Surveyor, Surveyor's Plan Version (4),

BOULEVARD ORANA 62.80

STREET

Tomkinson SURVEY DENGINEERING D PLANNING D PROJECT MANAGEMENT	
12/99-101 WESTERN AVENUE, WESTMEADOWS PH 03 8746 9988 ABN 11 103 336 358 WWW.TOMKINSON.COM	9001 QUAL

SCALE	l 4 0	4 8	12	16	ORIGINAL	SURVEYORS REF No.	VER	PLOTTED 14-05-2025	P.J.L.
1:400	LET	NGTHS ARE IN M	ETRES		SHEET SIZE A3	501871	04	Sheet 2	
Digitally signed by: Christopher Scott Franks, Licensed Surveyor, Surveyor's Plan Version (4), 19/05/2025, SPEAR Ref: S241777H									